SONY

BRAVIA™ 4K HDR Professional Displays

Innovative displays designed for business

43" - 85" X80J/X81J/X85J Series

FWD-43X80J

FWD-50X80J

FWD-55X80J

FWD-65X80J

FWD-75X81J

FWD-85X85J







High quality 4K HDR images and smart connectivity

Take your business communications to the next level with the BRAVIA Professional Display that combines lifelike 4K HDR image quality and TRILUMINOS PRO™ with easy operation, flexible networking/control and extensive integration options.

Optimised for professional applications, these BRAVIA Professional series delivers richly coloured, high-contrast 4K HDR images, while 4K X-Reality PRO upscales lower-resolution images closer to true 4K quality.

The display's clean, minimal design keeps your audience focused on what really matters, while Dolby Atmos delivers pure, immersive sound.

For even greater peace of mind there's the added reassurance of our 3 Years warranty with Repair or if necessary advanced exchange handled by local partner, on premise where possible. You can also choose to extend your support for an additional 2 years.

Ultimate Picture Quality

4K image resolution (3840 x 2160 pixels)

4K offers four times the detail of Full HD, with a resolution of over 8 million pixels bringing extra clarity to corporate display, education and digital signage applications.

Refined style to match your space

BRAVIA features a slim, contemporary blade design, with a narrow screen bezel that adds an extra touch of refinement to any interior.

Wider colour with TRILUMINOS Display

Our wide colour gamut and unique TRILUMINOS PRO™ algorithm can detect colour from saturation, hue and brightness to reproduce natural shades in every detail. You'll enjoy colours that are closer to those seen in the real world. Powered by our X1 processor, TRILUMINOS Display maps colours from a wider palette, faithfully reproducing a world of more vivid, lifelike hues and tones.

More contrast, colour and clarity

Our 4K HDR Processor X1™ cleans and refines picture signals, using advanced algorithms to cut noise and boost detail. Even lower-resolution images are upscaled closer to 4K with lifelike colour and textures, for a more impactful signage.

Smoother movement

Motionflow™ XR inserts additional picture frames between the originals, ensuring smoother, sharper detail in fast-moving sequences.

See finer detail

4K X-Reality PRO upscales pictures closer to true 4K quality. Images are sharpened and refined in real time, revealing extra detail from lower-resolution picture sources.





XR Motion





Features

Do more with Android TV

Discover a world of apps and online content powered by Android TV. Use Voice Search to find content easily with no typing.

Google Chromecast and Apple Airplay

With Google Chromecast built-in, and Apple Airplay, easily mirror your content and enjoy it super-sized on your BRAVIA.

Greater peace of mind

There's the added reassurance of our 3 Years warranty with Repair or if necessary advanced exchange handled by local partner, on premise where possible. You can also choose to extend your support for an additional 2 years.





Bring the incredible depth and quality of 4K HDR resolution to your business

For full features visit pro.sony/products/professional-displays

© 2022 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and rispecifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

Sony is the leading supplier of AV/IT solutions to businesses across a wide variety of sectors including, Media and Broadcast, Video Security, Medical, Digital Cinema and Displays. It delivers products, systems and applications to enable the creation, manipulation and distribution of digital audio-visual content that add value to businesses and their customers. With over 25 years' experience in delivering innovative market-leading products, Sony is ideally placed to deliver exceptional quality and value to its customers. Collaborating with a network of established technology partners, Sony delivers end-to-end solutions that address the customer's needs, integrating software and systems to achieve each organisation's individual business goals. For more information please visit www.pro.sony

Distributed by

PrimeSupport

Find your local telephone number to contact our *PrimeSupport Helpdesk* on our website **pro.sony/en_GB/change-country-region-language**

Monday - Friday 09:00 - 18:00 (Central European Time), excluding local national holidays. Support is available in English, French, Italian, German & Spanish

Prime Support Pro

Specifications

		FWD-43X80J	FWD-50X80J	FWD-55X80J	FWD-65X80J	FWD-75X81J	FWD-85X85J	
	Screen Size (inch, measured diagonally)	43"(42.5")	50"(49.5")	55"(54.6")	65"(64.5")	75"(74.5")	85"(84.6")	
Display features	Brightness (cd/m²)	520		44	40		560	
	Native contrast ratio	1200:1 5000:1 1200:1 6000:1					6000:1	
	Dynamic contrast ratio	400000:1 300000:1 400000:1					400000:1	
	Display resolution (H x V, pixels)	3840 x 2160						
	Dimming type	Frame Dimming						
	Display device	LCD						
	Backlight type	Direct LED						
	Aspect Ratio	16:9						
Professional features	Operating System	Android 10						
Display System	On-board Storage (GB)	16GB						
	TV System (Digital Terrestrial)	DVB-T/T2 DVB-C						
	TV System (Digital Cable) TV System (Digital Sat)	DVB-C DVB-S/S2						
	Number of Tuners (Terrestrial/Cable)	1(Digital/Analog)						
	Number of Tuners (Sat)	i(Digital/Arialog)						
Network Features	Wi-Fi Direct	Yes						
	Wi-Fi Certified	Yes						
	Apple AirPlay	Yes						
	Chromecast built-in	Yes						
	Internet Browser	Vewd						
	Codec for Home Network Wireless LAN	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/ JPEG,WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only) Integrated						
Convenience features	USB playback codecs	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC.S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only)						
	HDMI-CEC	No						
	i-Manual		Yes					
	On Screen Clock	Yes						
	Sleep Timer	Yes						
	On/Off Timer	Yes AFR,AMH,ARA,ASM,AZE,BEL,BUL,BEN,BOS,CAT,CZE,DAN,DEU,GRE,ENG,SPA,EST,BAQ,PER,FIN,FRA,GLG,GUJ,HIN,HRV,HUN,IND,ISL,ITA,HEB,JPN,KAZ						
	Display Language	KAN,KOR,KIR,LAO,LIT,LAV,MAC,MAL,MON,MAR,MAY,BUR,NOB,NEP,NLD,ORI,PAN,POL,POR,RUM,RUS,SOL,SLV,ALB,SRP,SWE, SWA,TAM,TEL,THA,TGL, TUR,UKR,URD,UZB,VIE,zh_CN,zh_HK,zh_TW,ZUL						
Control specs	Pro mode			Yes (requires a				
Inputs & Outputs	HDMI Signal	No						
	HDCP	4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60Hz), 1080p(30,50,60Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p HDCP2.3(for HDMI1/2/3/4)						
	RF (Terrestrial/Cable) Connection Input(s)	1(Side)						
	IF (Satellite) Input(s)	1(Side)						
	Composite Video Input(s)	1(Side, Mini jack)						
	HDMI inputs total	4(4Side)						
	USB ports	2(Side)						
	Ethernet inputs	1(Side)						
	HDMI PC Input Format	640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz), 1024x768(48.4kHz,60Hz), 1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz),						
	<u> </u>	1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz), 3840x2160p(30Hz), 3840x2160p(60Hz, 8bits)						
	PCMCIA Slot(s)	1(Top)						
Audio specifications	Speaker Position Audio Power Output	Down Firing 10W + 10W						
Specimentons	Wide Mode	Wide zoom/Normal/Full/Zoom/14:9						
Video Specifications	4:3 Default	Wide 200m/ Normai/ Full/200m/ 14:9 Yes						
	Video Processing	Yes 4K X-Reality PRO						
	4K Processor	4K K-heality Fno 4K HDR Processor X1						
	HDR (High Dynamic Range) compatibility	Yes(HDR10,HLG,Dolby Vision)						
Design Features	Cable Management	Yes						
	Frame color	Black						
	Stand Design	Slim Blade stand						
	VESA® Hole Spacing Compatible	Yes						
	VESA® Hole Pitch(W x H)	20.0 x 2	20.0 cm		30.0 x 30.0 cm		40.0 x 40.0 cm	
	Power Consumption (Rated)	118.0W 157.0W 207.0W 241.0W 308.0W 396.0W					396.0W	
Eco & energy	Power Consumption (in Standby)	0.50W						
saving	Mercury content(mg)	0.0						
Saving	· · · · · · · · · · · · · · · · · · ·	Yes						
Juving	Power Saving Mode / Back Light Off Mode					Approx.	Approx.	
Dimensions	Power Saving Mode / Back Light Off Mode Display only (W x H x D)	Approx. 97.2 x 56.7 x 7.0 cm Approx.	Approx. 112.6 x 65.3 x 7.0 cm Approx.	Approx. 124.3 x 71.9 x 7.1 cm Approx.	Approx. 146.2 x 84.2 x 7.1 cm Approx.	168.6 x 96.9 x 7.2 cm Approx.	189.9 x 108.9 x 7.1 cm Approx.	
	Power Saving Mode / Back Light Off Mode	97.2 x 56.7 x 7.0 cm	112.6 x 65.3 x 7.0 cm	124.3 x 71.9 x 7.1 cm	146.2 x 84.2 x 7.1 cm	168.6 x 96.9 x 7.2 cm	189.9 x 108.9 x 7.1 cm Approx.	
Dimensions	Power Saving Mode / Back Light Off Mode Display only (W x H x D) Display with Stand (W x H x D) Display only	97.2 x 56.7 x 7.0 cm Approx. 97.2 x 63.2 x 28.6 cm Approx. 10 kg	112.6 x 65.3 x 7.0 cm Approx. 112.6 x 71.8 x 28.6 cm Approx. 12.3 kg	124.3 x 71.9 x 7.1 cm Approx. 124.3 x 78.7 x 33.8 cm Approx. 15.7 kg	146.2 x 84.2 x 7.1 cm Approx. 146.2 x 91.2 x 33.8 cm Approx. 21.6 kg	168.6 x 96.9 x 7.2 cm Approx. 168.6 x 104.5 x 41.0 cm Approx. 31.6 kg	189.9 x 108.9 x 7.1 cm Approx. 189.9 x 117.6 x 45.6 cm Approx. 44.5 kg	
	Power Saving Mode / Back Light Off Mode Display only (W x H x D) Display with Stand (W x H x D) Display only Display with Stand	97.2 x 56.7 x 7.0 cm Approx. 97.2 x 63.2 x 28.6 cm Approx. 10 kg Approx. 10.5 kg	112.6 x 65.3 x 7.0 cm Approx. 112.6 x 71.8 x 28.6 cm Approx. 12.3 kg Approx. 12.9 kg	124.3 x 71.9 x 71.0 m Approx. 124.3 x 78.7 x 33.8 cm Approx. 15.7 kg Approx. 16.6 kg	146.2 x 84.2 x 7.1 cm Approx. 146.2 x 91.2 x 33.8 cm Approx. 21.6 kg Approx. 22.5 kg	168.6 x 96.9 x 7.2 cm Approx. 168.6 x 104.5 x 41.0 cm Approx. 31.6 kg Approx. 32.9 kg	189.9 x 108.9 x 7.1 cm Approx. 189.9 x 117.6 x 45.6 cm Approx. 44.5 kg Approx. 46 kg	
Dimensions Weights (Approx.)	Power Saving Mode / Back Light Off Mode Display only (W x H x D) Display with Stand (W x H x D) Display only	97.2 x 56.7 x 7.0 cm Approx. 97.2 x 63.2 x 28.6 cm Approx. 10 kg Approx. 10.5 kg Approx. 14 kg	112.6 x 65.3 x 7.0 cm Approx. 112.6 x 71.8 x 28.6 cm Approx. 12.3 kg Approx. 12.9 kg Approx. 17 kg	124.3 x 71.9 x 71.0 m Approx. 124.3 x 78.7 x 33.8 cm Approx. 15.7 kg Approx. 16.6 kg Approx. 23 kg	146.2 x 84.2 x 7.1 cm Approx. 146.2 x 91.2 x 33.8 cm Approx. 21.6 kg Approx. 22.5 kg Approx. 31 kg	168.6 x 96.9 x 7.2 cm Approx. 168.6 x 104.5 x 41.0 cm Approx. 31.6 kg Approx. 32.9 kg Approx. 49 kg	189.9 x 108.9 x 7.1 cm Approx. 189.9 x 117.6 x 45.6 cm Approx. 44.5 kg Approx. 46 kg Approx. 60 kg	
Dimensions Weights (Ap-	Power Saving Mode / Back Light Off Mode Display only (W x H x D) Display with Stand (W x H x D) Display only Display with Stand	97.2 x 56.7 x 7.0 cm Approx. 97.2 x 63.2 x 28.6 cm Approx. 10 kg Approx. 10.5 kg Approx. 14 kg SU-WL450(Termin.	112.6 x 65.3 x 7.0 cm Approx. 112.6 x 71.8 x 28.6 cm Approx. 12.3 kg Approx. 12.9 kg	124.3 x 71.9 x 7.1 cm Approx. 124.3 x 78.7 x 33.8 cm Approx. 15.7 kg Approx. 16.6 kg Approx. 23 kg SU-WL450(146.2 x 84.2 x 7.1 cm Approx. 146.2 x 91.2 x 33.8 cm Approx. 21.6 kg Approx. 22.5 kg Approx. 31 kg	168.6 x 96.9 x 7.2 cm Approx. 168.6 x 104.5 x 41.0 cm Approx. 31.6 kg Approx. 32.9 kg	189.9 x 108.9 x 7.1 cm Approx. 189.9 x 117.6 x 45.6 cm Approx. 44.5 kg Approx. 46 kg Approx. 60 kg duct page),	
Dimensions Weights (Approx.) Optional	Power Saving Mode / Back Light Off Mode Display only (W x H x D) Display with Stand (W x H x D) Display only Display with Stand Package Carton (Gross)	97.2 x 56.7 x 7.0 cm Approx. 97.2 x 63.2 x 28.6 cm Approx. 10 kg Approx. 10.5 kg Approx. 14 kg SU-WL450(Termin. refer to SU-WL45	112.6 x 65.3 x 7.0 cm Approx. 112.6 x 71.8 x 28.6 cm Approx. 12.3 kg Approx. 12.9 kg Approx. 17 kg al access limitation, 50 product page)	124.3 x 71.9 x 7.1 cm Approx. 124.3 x 78.7 x 33.8 cm Approx. 15.7 kg Approx. 16.6 kg Approx. 23 kg SU-WL450(146.2 x 84.2 x 7.1 cm Approx. 146.2 x 91.2 x 33.8 cm Approx. 21.6 kg Approx. 22.5 kg Approx. 31 kg Terminal access limitatio SU-WL850(Refer to Cour	168.6 x 96.9 x 7.2 cm Approx. 168.6 x 104.5 x 41.0 cm Approx. 31.6 kg Approx. 32.9 kg Approx. 49 kg n, refer to SU-WL450 pro	189.9 x 108.9 x 7.1 cm Approx. 189.9 x 117.6 x 45.6 cm Approx. 44.5 kg Approx. 46 kg Approx. 60 kg duct page),	