

- Convenience made easier through wireless capabilities, built-in business apps, and over-the-air • firmware updates.
- Wireless display & mirroring capabilities across various platforms (Mac/iOS, Android, or PC) for • simple and easy presentations
- Smart projector with built-in FireFox browser to easily show your ideas during huddle sessions •
- Over-the-air firmware upgrade to ensure your projector is always up to date •





ଚ

Easy Setup





GLASS	
)







High Brightness



World's First Android-based

BUSINESS PROJECTOR

Perfect Alignment

	All Glass	
Lens Arrav		

Zero Color Decay

Wall Color Correction projection Size



Wireless Projection for Any Platform

Unlike other wireless projectors in the market today, the EH600 provides convenience like never before.

Now, you can start projecting from your smart phone, tablet, or laptop in a few easy steps regardless if you have a PC, Mac/iOS, or Android device. This wireless solution eliminates cable clutter and the need to find the right dongle for your device improving efficiencies and synergies.

*Please use the included USB dongle for wireless connectivity



BenQ America Corp. www.BenQ.us | www.BenQ.ca



EH600

Business Projector



Business Apps to Enhance Productivity

- Blizz allows you to do a video conference and share your screens with your colleagues.
- TeamViewer Quick Support app allows a remote user to securely connect and troubleshoot the projector.
- The WPS Office app allows you to present Microsoft Word, Excel, PowerPoint, through the USB or using built-in storage on the EH600.
- Built-in FireFox browser allows users to surf the Internet during your meetings.

More engaging huddle sessions are now possible from these built-in apps conveniently in your EH600!

*Controlling the projector with BenQ Smart Control app is recommended for easier navigation when using FireFox.



More Convenience with Just a USB

Supporting a wide range of file formats such as JPEG, PDF, Microsoft Word, Excel, PowerPoint, and more, the EH600's USB Type-A port allows you to easily project images or documents directly without the need for a PC. Convenience made easier!



Keep Your EH600 Firmware Current with Over-The-Air Update

IT administrators can now update the firmware on the EH600 over the air whenever a new firmware is available. Eliminate the cable clutter and multiple dongles in your meeting room with the EH600. With wireless projection and mirroring capabilities, users can bring their smartphones, tablets, or laptops to instantly mirror to the projector. No more figuring out what ports your laptops have or what dongles you need.



BenQ.us | BenQ.ca

SPECIFICATIONS

Display	
Projection System	DLP Single 0.65" 1080P
DMD type	DMD chip
Native Resolution	1920 × 1080 pixels, 16:9
Brightness	3,500 lumens
Contrast Ratio**	6,000: I
Display Color	1.07 billion colors
Aspect Ratio	Native 16:9 (5 aspect ratio selectable)
Light Source	Lamp 200W
Light Source life***	Normal: 5,000 hrs; Economic: 10,000 hrs; SmartEco: 15,000 hrs; LampSave: 15,000 hr
Optical	
Throw Ratio	1.49~1.64
Zoom Ratio	I.IX
Lens Control	Manual Focus
Lens Shift	N/A
Keystone Correction	ID,Vertical +/- 40 degrees
Projection Offset	108±2.5%((Full-Height)
Projection Size	70"~150"
Audio	
Built-in Speaker	2W x1
•	
Special Features	Socurity Bar
Security	Security Bar
Features	Built-In smart system, BenQ Launcher, Hidden Wireless dingle, Bluetooth Audio out, Digital zoom(2x), Digital Shrink and Shift
Smart System	
OS System	Android 6.0
ROM/RAM	I6GB/2GB
Wireless	
Wireless	Dual Band 802.11ac/b/g/n, 2.4G/5G
Bluetooth	4.0
Compatibility	
Resolution Support	VGA(640 x 480) to WUXGA_RB(1920 x 1200)
Horizontal Frequency	15~102KHz
Vertical Scan Rate	23~120Hz
HDTV Compatibility	480i, 480p, 576i, 567p, 720p, 1080i, 1080p
Video Compatibility	NTSC, PAL, SECAM
Power	
Power Comsumption	Max 320W / Normal 280 W / Eco 235 W
(Max/Normal/Eco)	
Standby Power Comsumption	Normal < 0.5W
Power Supply	100 ~ 240V AC
Dimension and Weight	
Product Dimensions (WxHxD)	296 x 120 x 232 mm /11.65 x 4.72 x 9.13 inch
Product Weight	2.5 kg / 5.51 lbs.
Operation Condition	
•	22/29 4 4 4
Noise Level(Normal/Eco)	33/29 dBA
Operating Temperature	0 - 40°C / 32 - 104°F
Accessories	
Accessories (Standard)	Wireless Dongle:WDR02U (5J,JL528.001), Power Cord (by region), Remote Contro w/ Battery: RCI023 (5J,JLR06.001), VGA cable, Warranty Card (by region), QSG
Accessories (Optional)	
Accessories (Standard)	Spare Lamp Kit (5J.JLV05.001) Ceiling mount (5J.JAM10.001)
OSD	
On Screen Display Language	Arabic/Bulgarian/ Croatian/ Czech/ Danish/ Dutch/ English/ Finnish/ French/ Germar Greek/ Hindi/ Hungarian/ Italian/ Indonesian/Japanese/ Korean/ Norwegian/ Polish/ Portuguese/ Romanian/ Russian/ Simplified Chinese/ Spanish/ Swedish/
BenQ.us BenQ.ca	Turkish/Thai/TraditionalChinese/Vietnamese /Farsi (30 languages)

BenQ.us | BenQ.ca

BenQ is a registered trademark of BenQ Corp.All rights reserved. Product names, logos, brands, and other trademark featured or referred to in this material are the property of thier respective trademark holders. Specifications subject to change without notice.


EH600

Business Projector

KEY FEATURES


- World's first Android-based business projector for huddle rooms
- Wireless display & mirroring capabilities across various platforms (Mac/iOS, Android, or PC) for simple and easy presentations
- Smart projector with built-in FireFox browser to easily show your ideas during huddle sessions
- Over-the-air firmware upgrade to ensure your projector is always up to date
- Quality presentation with 3,500 lumens high brightness even in well-lit environments
- Low cost of ownership with up to 15,000 hrs lamp life and low energy consumption with SmartEco mode

DIMENSIONS





CONNECTIVITY



- I. HDMI
- 2. PC (D-sub I5pin)
- 3. Monitor out (D-sub 15pin,Female)
- 4. Audio in(mini jack)
- 5. Audio out (mini jack)
- 6. RS232 In (D-sub 9pin, male)
- 7. USB TypeA-1
- 8. USB TypeA-2 (5V, I.5A)
- 9. USB TypeA (For hidden wireless dongle)
- 10. USB Type mini B
- II. IR Receiver(Front+Top)

Environment Notice

Environment Notice * The Contrast is measure by Full On Full Off standard. * LightSource life results will vary depending on environmental conditions and usage.Actual product's features and specifications are subject to change without notice. * Storage:Temperature: -20-60° C / -4-42.8° F ; Humidity: 10-90% RH (without condensation) * Transmission quality depends on VVI-Fi environment and the screen mirroring compatibility of mobile devices from different brands.

